B VENT FIREPLACE SYSTEMS







Nothing invites or delights like the dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy

their warmth and beauty.



B VENT FIREPLACE SYSTEMS

Easily incorporated into any design requirement where the fireplace can be vented straight up and out, adding the beauty and elegance of fire to your home is simple with the B vent fireplace systems from Monessen.

The BBV Series offers a 36-inch radiant design with a true 36-inch brick to brick opening that has the largest viewing area in the industry. With 22,000 BTUs, optional bi-fold glass doors and a slim 14-inch deep design, this B vent fireplace from Monessen is a perfect choice for just about anywhere.

With 36- and 42-inch sizes, the SBV Series of B vent fireplace systems from Monessen also offer an expansive view. Both sizes come with standard refractory brick and a Black firescreen. With an impressive BTU range from 29,000 to 31,000, the SBV Series are ideal choices for hard to heat rooms.



B VENT DESIGNER FIREPLACE SYSTEMS

The B vent Designer Series of fireplace systems from Monessen offer sophisticated options for today's more contemporary homes. Available in See-Thru & Peninsula models, the Designer Series takes fire to a whole new level.

The radiant design allows materials to be placed right up to the edge of the firebox and with optional firebrick Backs and sides as well as standard Black trim, these 42,000 BTU fireplaces offer great heating ability and exciting design applications.

STANDARD FEATURES:

- Glowing ceramic fiber logs featuring a patented Natural Flame aluminized pan burner with random dancing flames and large ember bed
- Signature Command[™] System electronic ignition with 3-step flame height control or electronic ignition in natural gas
- Hidden control panel allows facing material to be installed up to opening of units
- Natural or propane field convertible
- Flexible connector with On/Off valve included
- Includes 15' of wire with wall switch and cover
- Junction box included for electrical hook up

SBV

- 36" & 42" radiant face design units 21" in depth
- Three piece ceramic fiber log sets with 25,000 BTU in 400SBV and 31,500 BTU in 500SBV
- Shipped with refractory brick standard for true masonry look
- Available with 6" B-vent outlet

DESIGNER FIREPLACES

- Available in See-Thru & Peninsula units
- Realistic ceramic fiber log sets with 42,000 BTU
- Polished Brass door panels standard
- Available with 6"B-vent outlet

BBV

- 36" radiant face unit 14" in depth
- Three piece log set with 22,000 BTU
- Available with 4" B-vent outlet

SIGNATURE COMMAND[™] - FIRE, AND MORE, AT YOUR FINGERTIPS!

No other system offers so many available features as the Signature Command[™] System, standard on all B vent fireplace models. From the optional Touch Screen remote control you can light the pilot and control three-step flame adjustment. Enjoy the electronic ignition functionality with automatic battery backup system all without getting up from your couch.

B Vent Fireplaces		
Model	400BBVA	
BTU / HR	16,000-22,000 NG	
Dimensions (Actual)	40"W x 40"H x 14"D	
Dimensions (Framing)	40 1/2 "W x 40 3/4"H x 14 1/2 "D	
Viewing Area	21 1/2 "H x 36 "W (774 sq. inches)	
Model	400SBVA	500SBVA
BTU / HR	16,500-25,000 NG	19,000-31,500 NG
Dimensions (Actual)	40"W x 40 1/2"H x 21"D	46"W x 40 1/2"H x 21"D
Dimensions (Framing)	40 1/2 "W x 40 3/4" H x 21 1/2 "D	46 1/2"W x 40 3/4"H x 21 1/2"D
Viewing Area	21 1/2 "H x 36 "W (774 sq. inches)	21 1/2"H x 42 "W (903 sq. inches)
Model (Designer)	BVPN	BVST
BTU / HR	42,000 NG	42,000 NG
Dimensions (Actual)	38"W x 42 3/8"H x 24 1/8"D	38"W x 42 3/8"H x 24 1/8"D
Dimensions (Framing)	38 1/2 "W x 42 1/2 "H x 23 1/8"D	38 1/2"W x 42 1/2"H x 24 5/8"D
Viewing Area	22 1/4 "H x 36 "W (801 sq. inches)	22 1/4"H x 36"W (801 sq. inches)

Optional Accessories

OPTIONAL FEATURES:

- Black and Stainless Steel bi-fold doors for BBV & SBV fireplaces*
- Cottage Clay firebrick for BBV fireplace
- Firebrick back and side panels for Designer units
- *When adding bi-fold doors to BBV or SBV, the doors must remain open during fireplace operation.



Cottage Clay firebrick

Touch screen hand held ON/OFF remote with flame adjustment

For more information about MHSC and Monessen efficient and environmentally friendly products, please visit www.monessenhearth.com







• Outside air kits

• Multi-functional Ambient Technologies® remote

controls available for all units



Monessen

A Brand of Monessen Hearth Systems Co. 149 Cleveland Drive, Paris, Kentucky 40361 www.monessenhearth.com

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for, the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2010 Monessen Hearth Systems Co. MHSC-10701 0810

Your Monessen Dealer:

