
# Gas Vent Free Fireboxes

# VERSATILE OPTIONS FOR YOUR HOME







Monessen offers one of the most diverse lineups of gas vent free fireplaces available, making it easy to find the right look for your home. Enjoy beautiful flames, excellent heating and a customized look, plus these added benefits:

# SAVE ENERGY AND MAXIMIZE HEAT

Vent free gas fireplaces (available in natural gas and propane) are a safe, green and energy efficient way to add heat to your home — in fact, they're 99.9% energy efficient. Because they are vent free, none of the heat gets lost up a vent, flue or chimney. Instead, fuel dollars get transformed into heat-warming energy. Plus, you can always be assured of a heat source, even in the event of a power outage.

#### INSTALL IT WHERE YOU WANT IT

Because vent free fireplaces are designed to be installed and operated without a chimney, flue or vent, they can be installed in locations in your home where it would be impossible to install a vented fireplace. They provide the most economical installation, only requiring a connection to a gas line.

## CREATE YOUR OWN LOOK

With multiple facing and firebrick options available, you can tailor the look of the fireplace to suit your tastes and décor.

#### YOU'RE IN THE CLEAR

Monessen vent free fireplaces allow for zero clearance installation, which means they may be installed flush against any combustible surface such as drywall or wood. This gives you added flexibility and helps save installation dollars when deciding where to install your fireplace, whether on an interior or exterior wall.

(It is important to remember that the appliance should be sized to fit the area in which it is to be installed and must meet any additional regional or local requirements.)

#### COMPLETE YOUR LOOK

Monessen offers a selection of vent free log sets (sold separately) that are a perfect complement to your new fireplace. Ask your dealer for details.

Pictured on cover: Lo-Rider LCUF Series

# EXPANSIVE VIEWING AREA WITH THE TALLEST FIREPLACE OPENING AVAILABLE

# Lo-Rider LCUF Series

For a true masonry look, the Lo-Rider Series features a low profile hearth, so the firebox appears to nearly rest on the floor, providing the tallest fireplace opening and a truly expansive viewing area.

# Quick Look:

- Tallest opening available for full view of fire
- Low profile hearth
- True masonry look
- Available facing options include Perimeter Trims, Classic Arched Faces, Cabinet Doors with Screen and Filigree Panels

#### Interior Firebrick



Refractory Herringbone

Trim Option



Stainless Steel Trim

# **Cabinet Options**



Barrington Dark Walnut Wall Cabinet (shown)



Barrington Unfinished Wall Cabinet



Honey Oak Wall or Corner Cabinet



Dark Cherry Wall or Corner Cabinet



# SPECIALTY OPTION

# Lo-Rider Designer Series

The Designer Series is available in See-Thru, Peninsula and Corner models, adding style and warmth to your rooms while maintaining a contemporary feel. And, the industry exclusive louverless design provides a clean exterior for an ultra sleek look.


#### Quick Look:

- Tallest opening available for full view of fire
- Radiant face design with heat circulating air ducts for optional blower
- Low profile hearth
- True masonry look

#### Interior Firebrick



Refractory Herringbone





# Magnum MCUF Series

This firebox offers a radiant design and taller opening to help warm larger rooms. Finish your fireplace right up to the firebox and select interior and exterior style options for a custom look.

# Quick Look:

- Radiant face design with heat circulating air ducts for optional blower
- True masonry look
- Available facing options include Perimeter Trims, Classic Arched Faces and Cabinet Doors with Screen



# Interior Firebrick Options



Refractory Herringbone

Vintage Brown

Trim Options



Stainless Steel Trim







Barrington Dark Walnut Wall Cabinet



Barrington Unfinished Wall Cabinet

# CREATE A CUSTOM LOOK

# **GRUF/GCUF**

The GRUF/GCUF series fireboxes provide the option to choose a louvered design or a radiant, clean face design. Choose from a selection of firebrick options and accessories for a fireplace perfectly suited to the design you prefer.

# Quick Look:

- Available in Radiant Face or Louvered designs
- Designed with heat circulating air ducts for optional blower
- Available facing options include Perimeter Trims, Classic Arched Faces and Cabinet Doors with Screen and Filigree Panels

#### Trim Options





Stainless Steel Trim

Black Trim

#### Interior Firebrick Options







Cottage Clay (standard)

ard) Cottage Red

Refractory









Barrington Unfinished Wall Cabinet

# FLEXIBLE INSTALLATION OPTIONS

# **BUF Series**

Our BUF line of vent free fireboxes offers a zero clearance design. With a true 36- or 42-inch brick-to-brick opening, this series is a versatile vent free option for any design application.

## Quick Look:

- Refractory firebrick for a classic masonry look to match any décor
- Radiant face design with heat circulating air ducts for optional blower

#### Interior Firebrick

**GRUF/GCUF Series** 




Refractory





# Feature and Accessory Quick Reference

	LCUF Lo-Rider	Lo-Rider Designer	MCUF Magnum	GRUF/GCUF	BUF
STANDARD FEATURES					
Design Advantage	Tallest opening available for expansive view	Industry exclusive louverless design	Larger opening warms larger rooms	Multiple design options for customized look	Flexible installation and neutral design
CSA design certified (fits most 18", 24" and 30" vent free log sets)	Yes	Yes	Yes	Yes	Yes
Zero clearance design	Yes	Yes	Yes	Yes	Yes
Gas knock out (left and right side of units)	Yes	Yes	Yes	Yes	Yes
Outside air kit	Yes	Yes	Yes	Yes	Yes
Curtain mesh screen	Yes	Yes	Yes	Yes	Yes
Junction box for electrical hook up blower kit	_	Yes	Yes	Yes	Yes
Fireplace opening	32", 36"	Peninsula, See-Thru, Left and Right Corner	36", 42"	32", 36", 42"	36", 42"
Face design	Radiant	Radiant	Radiant	Louvered or Radiant	Radiant
Corner/wall cabinet compatible	Yes	Yes	Yes	Yes	-
OPTIONAL ACCESSOR	RIES				
AK4 outside air kit	Yes	Yes	Yes	Yes	Yes
Blower	BLOTDL	BLOTDC	BLOTMC	BLOTMC	FA2A
AVAILABLE FACINGS	AND DOORS				
Classic Collection	Available*	_	Available*	Available**	_



<sup>\*</sup>Filigree panels from the Classic Collection not available for these models.

# **Cabinet Dimensions**


Product	Surround	Α	В	С	D	Е	F	G	Н	П
STANDARD WALL CABINET MANTELS (HEARTH INCLUDED WITH CABINET)										
LCUF32	WSHGC32	57 ¾"	21"	49 ¾"	18"	39 1/4"	37 ¾"	35 %"	52 1/4"	5"
STANDARD CORNER CABINET MANTELS (HEARTH INCLUDED WITH CABINET)										
LCUF32	CSHGC32	62"	43 %"	35 %"	49 ¾"	39 1/4"	37 ¾"	35 %"	57 1/4"	5"

S	tandard Wall	
<u> </u>		
	F-H-I	
70.		
-  -	H	-
	LCUF	

B	<u>;</u>
- F	D
LCUF	Τ.
Barrington	

Standard Corner

BARRINGTON											Max adj opening WxH	Min adj opening WxH	Max fireplace depth
VF32, VF36, LCUF32, LCUF36, 36MCUF	BWC500	67 ½"	22"	54 1/4"	-	-	-	-	-	-	42" x 37 %"	36" x 33"	18"



<sup>\*\*</sup>Arched fronts with lower control door and filigree panels fit the louvered boxes only. Cabinet doors and frames fit both louvered and radiant boxes.

# Monessen Vent Free Gas Fireboxes

Dimensions

MODEL	LCUF32	LCUF36				
Fire Viewing Area	29 <sup>7</sup> / <sub>8</sub> " W x 28 <sup>3</sup> / <sub>8</sub> " H	33 <sup>7</sup> / <sub>8</sub> " W x 31 <sup>1</sup> / <sub>4</sub> " H				
Framing Dimensions	37" W x 34 <sup>1</sup> / <sub>2</sub> " H x 16" D	41 <sup>1</sup> / <sub>4</sub> " W x 37 <sup>3</sup> / <sub>4</sub> " H x 18" D				
Hearth Dimensions	28 <sup>5</sup> / <sub>8</sub> " FW x 22 <sup>3</sup> / <sub>8</sub> " RW x 28" FH x 23 <sup>1</sup> / <sub>4</sub> " RH x 12 <sup>3</sup> / <sub>4</sub> " D	32 <sup>1</sup> / <sub>2</sub> " FW x 25 <sup>7</sup> / <sub>8</sub> " RW x 30 <sup>1</sup> / <sub>4</sub> " FH x 25 <sup>5</sup> / <sub>8</sub> " RH x 15" D				
MODEL	LSTF36	LPF36	L(R/L)CF36			
Fire Viewing Area	35 <sup>15</sup> / <sub>16</sub> " W x 27" D	35 15/16" W x 27" H	35 15/16" W x 27" H			
Framing Dimensions	42 <sup>3</sup> / <sub>16</sub> " W x 34 <sup>3</sup> / <sub>4</sub> " H x 22 <sup>3</sup> / <sub>4</sub> " D	41 <sup>11</sup> / <sub>16</sub> " W x 34 <sup>3</sup> / <sub>4</sub> " H x 22 <sup>3</sup> / <sub>4</sub> " D	41 11/16" W x 34 3/4" H x 23 1/14" D			
Hearth Dimensions	33 <sup>3</sup> / <sub>16</sub> " W x 27 <sup>3</sup> / <sub>4</sub> " H x 21 <sup>15</sup> / <sub>16</sub> " D	35 <sup>5</sup> / <sub>16</sub> " W x 27 <sup>3</sup> / <sub>4</sub> " H x 21 <sup>15</sup> / <sub>16</sub> " D	35 <sup>5</sup> / <sub>16</sub> " W x 27 <sup>3</sup> / <sub>4</sub> " H x 21 <sup>15</sup> / <sub>16</sub> " D			
MODEL	MCUF36	MCUF42				
Fire Viewing Area	36" W x 26 1/4" H	42" W x 26 <sup>1</sup> / <sub>4</sub> " H				
Framing Dimensions	41 <sup>1</sup> / <sub>4</sub> " W x 37 <sup>3</sup> / <sub>4</sub> " H x 17 <sup>3</sup> / <sub>4</sub> " D	47 1/4" W x 37 3/4" H x 17 3/4" D				
Hearth Dimensions	32 <sup>5</sup> / <sub>8</sub> " FW x 26 <sup>1</sup> / <sub>4</sub> " RW x 21 <sup>7</sup> / <sub>8</sub> " FH x 20 <sup>1</sup> / <sub>2</sub> " RH x 15" D	38 <sup>5</sup> / <sub>8</sub> " FW x 32 <sup>1</sup> / <sub>4</sub> " RW x 21 <sup>7</sup> / <sub>8</sub> " FH x 20 <sup>1</sup> / <sub>2</sub> " RH x 15" D				
MODEL	GRUF32C/GCUF32C	GRUF36C/GCUF36C	GRUF42C/GCUF42C			
Fire Viewing Area	29 <sup>7</sup> / <sub>8</sub> " W x 21 <sup>3</sup> / <sub>4</sub> " D	34" W x 21 <sup>3</sup> / <sub>4</sub> " H	40" W x 21 <sup>3</sup> / <sub>4</sub> " D			
Framing Dimensions	37 <sup>1</sup> / <sub>4</sub> " W x 35" H x 15 <sup>1</sup> / <sub>2</sub> " D	41 <sup>1</sup> / <sub>4</sub> " W x 35" H x 17 <sup>1</sup> / <sub>2</sub> " D	47 1/4" W x 35" H x 17 1/2" D			
Hearth Dimensions	29 7/s" FW x 23 3/s" RW x 21 7/s" FH x 18" RH x 13 1/4" D	34" FW x 27 <sup>3</sup> / <sub>8</sub> " RW x 21 <sup>7</sup> / <sub>8</sub> " FH x 17 <sup>5</sup> / <sub>8</sub> " RH x 15 <sup>3</sup> / <sub>4</sub> " D	40" FW x 33 <sup>3</sup> / <sub>8</sub> " RW x 21 <sup>7</sup> / <sub>8</sub> " FH x 17 <sup>5</sup> / <sub>8</sub> " RH x 15 <sup>3</sup> / <sub>4</sub> " D			
MODEL	BUF400	BUF500				
Fire Viewing Area	36" W x 21 <sup>9</sup> / <sub>16</sub> " H	42" W x 21 <sup>9</sup> / <sub>16</sub> " H				
Framing Dimensions	40 <sup>1</sup> / <sub>4</sub> " W x 34 <sup>1</sup> / <sub>4</sub> " H x 20 <sup>3</sup> / <sub>4</sub> " D	46 ¹/₄" W x 34 ¹/₄" H x 20 ³/₄" D				
Hearth Dimensions	35 <sup>1</sup> / <sub>2</sub> " FW x 20 <sup>3</sup> / <sub>8</sub> " RW x 21 <sup>1</sup> / <sub>2</sub> " H x 17" D	41 <sup>1</sup> / <sub>2</sub> " FW x 26 <sup>3</sup> / <sub>8</sub> " RW x 21 <sup>1</sup> / <sub>2</sub> " H x 17" D				



LOVE AT FIRST LIGHT

A brand of Monessen Hearth Systems Co. 149 Cleveland Drive, Paris, Kentucky 40361 monessenhearth.com





















To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice.

©2011 Monessen Hearth Systems Co. 10816\_1011

For more information about MHSC and Monessen efficient and environmentally friendly products, please visit monessenhearth.com